

Anorel™

Antihaemorrhoidal Ointment

Presentation

Anorel™ Ointment: Each gram ointment contains 5 mg Hydrocortisone USP, 5 mg Cinchocaine Hydrochloride BP, Neomycin Sulphate BP equivalent to 10 mg Neomycin, Esculin Sesquihydrate equivalent to 10 mg Esculin.

Description

Corticosteroid provides anti-inflammatory, anti-allergic and antipruritic action, Neomycin provides antibacterial action, Cinchocaine gives local anesthetic action and Esculin gives skin protective action.

Indications

Internal and external haemorrhoid, anal fissure, anal pruritus, perianal eczema, proctitis, pre-operative and post-operative treatment of haemorrhoidectomy, post-partum haemorrhoidal condition and as prophylaxis in between attacks.

Dosage and Administrations

In the morning and evening and after each stoolation, ointment should be applied in the pruritic area. For deep application, applicator should be attached to the tube and inserted to the full extent and the tube should be squeezed gently from the lower end while withdrawing.

Side Effects

Skin sensitization may occur. Some more side effects may occur for individual constituents.

Contraindications

Contraindicated to the patients who have sensitivity to any of the constituents.

Drug Interactions

No information provided.

Precautions

Should not be used extensively during pregnancy. If used for prolonged period, Hydrocortisone may be absorbed in an amount to produce systemic effect.

Overdosage

No information provided.

Pharmaceutical Precautions

Keep in a cool dry place protected from light. Keep out of reach of children.

Commercial Pack

Anorel™ Ointment: Each sealed laminated tube contains 15 g ointment with applicator.

Manufactured by :



POPULAR PHARMACEUTICALS LTD.
TONGI, GAZIPUR, BANGLADESH